

Preventive care benefits for adults

All Marketplace health plans and many other plans must cover the following list of preventive services without charging you a copayment (/glossary/co-payment) or coinsurance (/glossary/co-insurance). This is true even if you haven't met your yearly deductible (/glossary/deductible).

IMPORTANT

These services are free only when delivered by a doctor or other provider in your plan's network.

- Abdominal aortic aneurysm one-time screening
 - (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/talk-to-your-doctor-about-abdominal-aortic-aneurysm) for men of specified ages who have ever smoked
- 2. Alcohol misuse screening and counseling (http://healthfinder.gov/HealthTopics/Category/healthconditions-and-diseases/heart-health/drink-alcohol-only-in-moderation)
- 3. Aspirin use (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/heart-health/talk-with-your-doctor-about-taking-aspirin-every-day) to prevent cardiovascular disease for men and women of certain ages
- 4. <u>Blood pressure screening</u> (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-your-blood-pressure-checked)
- 5. Cholesterol screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-your-cholesterol-checked) for adults of certain ages or at higher risk
- 6. <u>Colorectal cancer screening</u> (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-tested-for-colorectal-cancer) for adults over 50

- 7. Depression screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/talk-with-your-doctor-about-depression)
- 8. Diabetes (Type 2) screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/diabetes/take-steps-to-prevent-type-2-diabetes) for adults with high blood pressure
- 9. Diet counseling (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/diabetes/eat-healthy) for adults at higher risk for chronic disease
- 10. Hepatitis B screening (http://www.uspreventiveservicestaskforce.org/Page/Topic/recommendation-summary/hepatitis-b-virus-infection-screening-2014?ds=1&s=hepatitis%20b) (https://www.healthcare.gov/links-to-other-sites/) for people at high risk, including people from countries with 2% or more Hepatitis B prevalence, and U.S.-born people not vaccinated as infants and with at least one parent born in a region with 8% or more Hepatitis B prevalence.
- 11. Hepatitis C screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/talking-with-the-doctor/hepatitis-c-screening) for adults at increased risk, and one time for everyone born 1945 1965
- 12. HIV screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-hiv) for everyone ages 15 to 65, and other ages at increased risk
- 13. Immunization vaccines (http://healthfinder.gov/HealthTopics/Category/doctor-visits/shotsvaccines/getimportant-shots) for adults — doses, recommended ages, and recommended populations vary:
 - Diphtheria (http://www.vaccines.gov/diseases/diphtheria/index.html)
 - Hepatitis A (http://www.vaccines.gov/diseases/hepatitis_a/index.html)
 - Hepatitis B (http://www.vaccines.gov/diseases/hepatitis_b/index.html)
 - Herpes Zoster (http://www.vaccines.gov/diseases/shingles/index.html)
 - Human Papillomavirus (HPV) (http://www.vaccines.gov/diseases/hpv/index.html)
 - Influenza (flu shot) (http://www.vaccines.gov/diseases/flu/index.html)
 - Measies (http://www.vaccines.gov/diseases/measles/index.html)
 - Meningococcal (http://www.vaccines.gov/diseases/meningitis/index.html)

- Mumps (http://www.vaccines.gov/diseases/mumps/index.html)
- Pertussis (http://www.vaccines.gov/diseases/pertussis/index.html)
- Pneumococcal (http://www.vaccines.gov/diseases/pneumonia/index.html)
- Rubella (http://www.vaccines.gov/diseases/rubella/index.html)
- Tetanus (http://www.vaccines.gov/diseases/tetanus/index.html)
- Varicella (Chickenpox) (http://www.vaccines.gov/diseases/chickenpox/index.html)
- 14. Lung cancer screening (http://www.uspreventiveservicestaskforce.org/Page/Topic/recommendation-summary/lung-cancer-screening) (https://www.healthcare.gov/links-to-other-sites/) for adults 55 80 at high risk for lung cancer because they're heavy smokers or have quit in the past 15 years
- 15. Obesity screening and counseling (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/diabetes/watch-your-weight)
- 16. Sexually transmitted infection (STI) prevention counseling

 (http://healthfinder.gov/healthtopics/category/health-conditions-and-diseases/hiv-and-other-stds) for adults at higher risk
- 17. Syphilis screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/syphilis-testing-questions-for-the-doctor) for adults at higher risk
- 18. Tobacco Use screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/diabetes/quit-smoking) for all adults and cessation interventions for tobacco users

More on prevention

- Learn more about preventive care from the CDC (http://www.cdc.gov/prevention/)
- See preventive services covered for <u>children (/preventive-care-children/)</u> and women (/preventive-care-women/).
- Learn more about what else Marketplace health insurance plans cover. (/coverage/what-marketplace-plans-cover/)

HealthCare.gov

Preventive care benefits for children

Most health plans must cover a set of preventive health services for children at no cost. This includes Marketplace and Medicaid coverage.

IMPORTANT

These services are free only when delivered by a doctor or other provider in your plan's network.

Coverage for children's preventive health services

All Marketplace health plans and many other plans must cover the following list of preventive services for children without charging you a copayment (/glossary/co-payment) or coinsurance (/glossary/co-insurance). This is true even if you haven't met your yearly deductible (/glossary/deductible).

- 1. Alcohol and drug use assessments

 (http://www.healthfinder.gov/HealthTopics/Category/parenting/healthy-communication-and-relationships/talk-to-your-kids-about-tobacco-alcohol-and-drugs) for adolescents
- 2. Autism screening (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4) for children at 18 and 24 months
- 3. Behavioral assessments for children ages: 0 to 11 months

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), 1 to 4 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), 5 to 10 years

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), 11 to 14 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14), 15 to 17 years

(http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)

- 4. Blood pressure screening for children ages: 0 to 11 months
 - (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), 1 to 4 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), 5 to 10 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), 11 to 14 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14), 15 to 17 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)
- 5. Cervical dysplasia screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-tested-for-cervical-cancer) for sexually active females
- 6. <u>Depression screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-your-teen-screened-for-depression)</u> for adolescents
- 7. Developmental screening (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/watch-for-signs-of-speech-or-language-delay) for children under age 3
- 8. Dyslipidemia screening for children at higher risk of lipid disorders ages: 1 to 4

 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-tothe-doctor-ages-1-to-4), 5 to 10 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctorvisits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), 11 to 14 years

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-thedoctor-ages-11-to-14), 15 to 17 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctorvisits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)
- 9. Fluoride chemoprevention supplements

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/take-care-of-your-childs-teeth) for children without fluoride in their water source
- 10. Gonorrhea preventive medication (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/talk-with-your-doctor-about-newborn-screening) for the eyes of all newborns

- 11. Hearing screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/talk-with-your-doctor-about-newborn-screening) for all newborns
- 12. Height, weight and body mass index (BMI) measurements for children ages: 0 to 11 months (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), 1 to 4 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), 5 to 10 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), 11 to 14 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14), 15 to 17 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)
- 13. Hematocrit or hemoglobin screening

(http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4) for all children

14. Hemoglobinopathies or sickle cell screening

(http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/talk-with-your-doctor-about-newborn-screening) for newborns

15. Hepatitis B screening

(http://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/hepatitis-b-virus-infection-screening-2014?ds=1&s=adolescent) (https://www.healthcare.gov/links-to-other-sites/) for adolescents at high risk, including adolescents from countries with 2% or more Hepatitis B prevalence, and U.S.-born adolescents not vaccinated as infants and with at least one parent born in a region with 8% or more Hepatitis B prevalence: 11 – 17 years.

- 16. HIV screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-hiv) for adolescents at higher risk
- 17. Hypothyroidism screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/talk-with-your-doctor-about-newborn-screening) for newborns
- 18. Immunization vaccines (http://healthfinder.gov/HealthTopics/Category/doctor-visits/shotsvaccines/get-your-childs-shots-on-schedule) for children from birth to age 18 doses, recommended ages, and recommended populations vary:

- Diphtheria (http://www.vaccines.gov/diseases/diphtheria/index.html), Tetanus
 (http://www.vaccines.gov/diseases/tetanus/index.html), Pertussis (Whooping Cough)
 (http://www.vaccines.gov/diseases/pertussis/index.html)
- Haemophilus influenza type b (http://www.vaccines.gov/diseases/hib/index.html)
- Hepatitis A (http://www.vaccines.gov/diseases/hepatitis_a/index.html)
- Hepatitis B (http://www.vaccines.gov/diseases/hepatitis_b/index.html)
- Human Papillomavirus (PVU) (http://www.vaccines.gov/diseases/hpv/index.html)
- Inactivated Poliovirus (http://www.vaccines.gov/diseases/polio/index.html)
- Influenza (flu shot) (http://www.vaccines.gov/diseases/flu/index.html)
- Measles (http://www.vaccines.gov/diseases/measles/index.html)
- Meningococcal (http://www.vaccines.gov/diseases/meningitis/index.html)
- Pneumococcal (http://www.vaccines.gov/diseases/pneumonia/index.html)
- Rotavirus (http://www.vaccines.gov/diseases/rotavirus/index.html)
- Varicella (Chickenpox) (http://www.vaccines.gov/diseases/chickenpox/index.html)
- 19. Iron supplements (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months) for children ages 6 to 12 months at risk for anemia
- 20. Lead screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/getting-ready-for-your-baby/protect-your-family-from-lead-poisoning) for children at risk of exposure
- 21. Medical history for all children throughout development ages: <u>0 to 11 months</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), <u>1 to 4 years</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), <u>5 to 10 years</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), <u>11 to 14 years</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14), <u>15 to 17 years</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)

- 22. Obesity screening and counseling (http://healthfinder.gov/HealthTopics/Category/parenting/nutrition-and-physical-activity/help-your-child-stay-at-a-healthy-weight)
- 23. Oral health risk assessment for young children ages: <u>0 to 11 months</u>

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), <u>1 to 4 years</u> (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), <u>5 to 10 years</u>

 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10)
- 24. Phenylketonuria (PKU) screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/talk-with-your-doctor-about-newborn-screening) for newborns
- 25. Sexually transmitted infection (STI) prevention counseling and screening
 (http://healthfinder.gov/healthtopics/category/health-conditions-and-diseases/hiv-and-other-stds) for
 adolescents at higher risk
- 26. Tuberculin testing for children at higher risk of tuberculosis ages: 0 to 11 months (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months), 1 to 4 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4), 5 to 10 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10), 11 to 14 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14), 15 to 17 years (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)
- 27. Vision screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-your-childs-vision-checked) for all children

More information about preventive services for children

Preventive services for children age 0 to 11 months
 (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-babys-visit-to-the-doctor-ages-0-to-11-months)

- Preventive services for children age 1 to 4 years
 - (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-1-to-4)
- Preventive services for children age 5 to 10 years

(http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-5-to-10)

- Preventive services for children age 11 to 14 years
 - (http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-childs-visit-to-the-doctor-ages-11-to-14)
- · Preventive services for children age 15 to 17 years

(http://healthfinder.gov/HealthTopics/Category/parenting/doctor-visits/make-the-most-of-your-teens-visit-to-the-doctor-ages-15-to-17)

More on prevention

- Learn more about preventive care from the CDC (http://www.cdc.gov/prevention/).
- See preventive services covered for <u>adults</u> (/preventive-care-adults/) and <u>women</u> (/preventive-care-women/).
- Learn more about what else Marketplace health insurance plans cover. (/coverage/what-marketplace-plans-cover/)

Can we improve this page?

中文 (/LANGUAGE-RESOURCE/#CHINESE) | KREYÒL (/LANGUAGE-RESOURCE/#CREOLE) | FRANÇAIS (/LANGUAGE-RESOURCE/#FRENCH) | DEUTSCH (/LANGUAGE-RESOURCE/#GERMAN) | 광장리네 (/LANGUAGE-RESOURCE/#GUJARATI) | [현리 (/LANGUAGE-RESOURCE/#HINDI) | ITALIANO (/LANGUAGE-RESOURCE/#ITALIAN) | 日本語 (/LANGUAGE-RESOURCE/#JAPANESE) | 한국어 (/LANGUAGE-RESOURCE/#KOREAN) | POLSKI (/LANGUAGE-RESOURCE/#POLISH) | PORTUGUÊS (/LANGUAGE-

HealthCare.gov

Preventive care benefits for women

All Marketplace health plans and many other plans must cover the following list of preventive services for women without charging a copayment (/glossary/co-payment) or coinsurance (/glossary/co-insurance). This is true even if you haven't met your yearly deductible (/glossary/deductible).

IMPORTANT

These services are free only when delivered by a doctor or other provider in your plan's network.

Services for pregnant women or women who may become pregnant

- 1. Anemia screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy) on a routine basis
- 2. <u>Breastfeeding comprehensive support and counseling</u>

 (http://healthfinder.gov/HealthTopics/Category/pregnancy/getting-ready-for-your-baby/breastfeed-your-baby) from trained providers, and access to breastfeeding supplies, for pregnant and nursing women
- 3. Contraception (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/choose-the-right-birth-control): Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling, as prescribed by a health care provider for women with reproductive capacity (not including abortifacient drugs). This does not apply to health plans sponsored by certain exempt "religious employers." Learn more about contraceptive coverage (/coverage/birth-control-benefits/).

- 4. Folic acid (http://healthfinder.gov/HealthTopics/Category/nutrition-and-physical-activity/nutrition/get-enough-folic-acid) supplements for women who may become pregnant
- 5. Gestational diabetes screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/talking-with-the-doctor/gestational-diabetes-screening-questions-for-the-doctor) for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes
- 6. Gonorrhea screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-chlamydia-and-gonorrhea) for all women at higher risk
- 7. Hepatitis B screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy) for pregnant women at their first prenatal visit
- 8. Rh Incompatibility screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy) for all pregnant women and follow-up testing for women at higher risk
- Syphilis screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-andother-stds/syphilis-testing-questions-for-the-doctor)
- 10. Expanded tobacco intervention and counseling

 (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/diabetes/quit-smoking) for pregnant tobacco users
- 11. Urinary tract or other infection screening

 (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy)

Get more information about services for pregnant women from HealthFinder.gov (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy)

Other covered preventive services for women

- Breast cancer genetic test counseling (BRCA)
 (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/cancer/talk-with-a-doctor-if-breast-or-ovarian-cancer-runs-in-your-family) for women at higher risk
- 2. Breast cancer mammography screenings (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-tested-for-breast-cancer) every 1 to 2 years for women over 40

- 3. <u>Breast cancer chemoprevention counseling</u>
 (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/cancer/talk-with-a-doctor-if-breast-or-ovarian-cancer-runs-in-your-family) for women at higher risk
- 4. Cervical cancer screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-tested-for-cervical-cancer) for sexually active women
- 5. Chlamydia infection screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-chlamydia-and-gonorrhea) for younger women and other women at higher risk
- 6. <u>Domestic and interpersonal violence screening and counseling</u>

 (http://healthfinder.gov/HealthTopics/Category/everyday-healthy-living/mental-health-and-relationship/take-steps-to-protect-yourself-from-relationship-violence) for all women
- 7. Gonorrhea screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-chlamydia-and-gonorrhea) for all women at higher risk
- 8. HIV screening and counseling (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/get-tested-for-hiv) for sexually active women
- 9. Human Papillomavirus (HPV) DNA test (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-tested-for-cervical-cancer) every 3 years for women with normal cytology results who are 30 or older
- 10. Osteoporosis screening (http://healthfinder.gov/HealthTopics/Category/doctor-visits/screening-tests/get-a-bone-density-test) for women over age 60 depending on risk factors
- 11. Rh incompatibility screening (http://healthfinder.gov/HealthTopics/Category/pregnancy/doctor-and-midwife-visits/have-a-healthy-pregnancy) follow-up testing for women at higher risk
- 12. Sexually transmitted infections counseling (http://healthfinder.gov/healthtopics/category/health-conditions-and-diseases/hiv-and-other-stds) for sexually active women
- 13. Syphilis screening (http://healthfinder.gov/HealthTopics/Category/health-conditions-and-diseases/hiv-and-other-stds/syphilis-testing-questions-for-the-doctor) for women at increased risk
- 14. Tobacco use screening and interventions (http://healthfinder.gov/HealthTopics/Category/healthconditions-and-diseases/diabetes/quit-smoking)

15. Well-woman visits (http://healthfinder.gov/HealthTopics/Category/everyday-healthy-living/sexual-health/get-your-well-woman-visit-every-year) to get recommended services for women under 65

More on prevention

- Learn more about preventive care from the CDC (http://www.cdc.gov/prevention/).
- See preventive services covered for all adults (/preventive-care-adults/) and children (/preventive-care-children/).
- Learn more about what else Marketplace health insurance plans cover. (/coverage/what-marketplace-plans-cover/)

Can we improve this page?

中文 (/LANGUAGE-RESOURCE/#CHINESE) | KREYÔL (/LANGUAGE-RESOURCE/#CREOLE) | FRANÇAIS (/LANGUAGE-RESOURCE/#FRENCH) | DEUTSCH (/LANGUAGE-RESOURCE/#GERMAN) | 기장되네 (/LANGUAGE-RESOURCE/#GUJARATI) | 현리 (/LANGUAGE-RESOURCE/#HINDI) | ITALIANO (/LANGUAGE-RESOURCE/#ITALIAN) | 日本語 (/LANGUAGE-RESOURCE/#JAPANESE) | 한국어 (/LANGUAGE-RESOURCE/#KOREAN) | POLSKI (/LANGUAGE-RESOURCE/#POLISH) | PORTUGUÊS (/LANGUAGE-RESOURCE/#PORTUGUESE) | PYCCKMĂ (/LANGUAGE-RESOURCE/#RUSSIAN) | ESPAÑOL (/LANGUAGE-RESOURCE/#SPANISH) | TAGALOG (/LANGUAGE-RESOURCE/#TAGALOG) | TIÉNG VIỆT (/LANGUAGE-RESOURCE/#VIETNAMESE)

A federal government website managed and paid for by the U.S. Centers for Medicare & Medicaid Services. 7500 Security Boulevard, Baltimore, MD 21244